

MONTANA WELL LOG REPORT

Other Options

This well log reports the activities of a licensed Montana well driller, serves as the official record of work done within the borehole and casing, and describes the amount of water encountered. This report is compiled electronically from the contents of the Ground Water Information Center (GWIC) database for this site. Acquiring water rights is the well owner's responsibility and is NOT accomplished by the filing of this report.

[Return to menu](#)
[Plot this site in State Library Digital Atlas](#)
[Plot this site in Google Maps](#)
[View scanned well log \(2/29/2008 2:53:03 PM\)](#)

Site Name: HARRIS LOREN & ANN
GWIC id: 241803

Section 1: Well Owner(s)

1) HARRIS, LOREN/ANN (MAIL)
 305 LAWN DALE DR.
 SPRING CREEK NV 89815 [01/30/2008]
 2) HARRIS, LOREN/ANN (WELL)
 PETTY CR.
 N/A N/A N/A [01/30/2008]

Section 2: Location

Township	Range	Section	Quarter Sections
14N	22W	19	NE¼ NW¼
County			
MISSOULA			
Latitude	Longitude	Geomethod	Datum
46.963227	-114.433327	TRS-SEC	NAD83
Ground Surface Altitude	Ground Surface Method	Datum	Date

Addition	Block	Lot
----------	-------	-----

Section 3: Proposed Use of Water

DOMESTIC (1)

Section 4: Type of Work

Drilling Method: ROTARY
 Status: NEW WELL

Section 5: Well Completion Date

Date well completed: Wednesday, January 30, 2008

Section 6: Well Construction Details

Borehole dimensions

From	To	Diameter
0	500	6

Casing

From	To	Diameter	Wall Thickness	Pressure Rating	Joint	Type
-2	138	6	0.25		WELDED	STEEL
20	500	4		160.0	SOLVENT WELD	PVC

Completion (Perf/Screen)

From	To	Diameter	# of Openings	Size of Openings	Description
460	500	4	40	1/16X3	FACTORY SLOTTED

Annular Space (Seal/Grout/Packer)

From	To	Description	Cont. Fed?
0	0	BENTONITE	Y

Section 7: Well Test Data

Total Depth: 500
 Static Water Level: 115
 Water Temperature:

Air Test *

20 gpm with drill stem set at 460 feet for 2 hours.
 Time of recovery 2 hours.
 Recovery water level 115 feet.
 Pumping water level feet.

** During the well test the discharge rate shall be as uniform as possible. This rate may or may not be the sustainable yield of the well. Sustainable yield does not include the reservoir of the well casing.*

Section 8: Remarks

Section 9: Well Log

Geologic Source

Unassigned

From	To	Description
0	3	SOIL, SILTY SAND
3	137	SILTY SAND, BROKEN ROCK, GRAVEL, MOIST BROWN CLAY LAYERS
137	355	GREEN GRAY, PURPLE ROCK, FRACTURED LAYERS SOME SEEPAGE
355	500	GREEN PURPLE ROCK, FRACTURED LAYERS W/WATER

Driller Certification

All work performed and reported in this well log is in compliance with the Montana well construction standards. This report is true to the best of my knowledge.

Name: RANDAL KOTECKI
Company: JEROMES DRILLING CO
License No: WWC-600
Date Completed: 1/30/2008